

Table of Contents

Ceiling Sweep Fans

Ceiling Fan Selector Guide	202
Skyfan DC 3 Blade	204
Skyfan DC 3 Blade with LED	204
Spyda 4 Blade	205
Spyda 4 Blade with LED	205
Spyda 3 Blade	206
Spyda 3 Blade with LED	207
Spinika 4 Blade	208
Spinika 4 Blade with LED	208
Stanza 3 Blade	209
Stanza 3 Blade with Light	209
Royale II DC 4 Blade	210
Seattle DC 3 Blade	210
Mariah 5 Blade with LED	211
Malibu IP55 4 Blade	211
National 4 Blade	211

Cooling Fans

Zephyr II Wall Mount Fans	212
Orbital Ceiling Mount Fans	213
Wall Fans	214



CEILING FAN SELECTION GUIDE

SAVING MONEY AND THE ENVIRONMENT

Ceiling fans create a substantial cooling affect by gently circulating the air at a fraction of the cost of air conditioning.



900mm (36")

Ideal for small bedrooms, home office, wide hallways, compact kitchens, and any area in your home with limited space.



1200mm (48") to 1250mm (50")

Balancing compact proportiond with strong airflow. These mid-sized ceiling fans are perfect for small to medium sized rooms or smaller living areas.



1300mm (52") to 1400mm (56")

Recommended for larger bedrooms and general living areas. Can also be great for covered outdoor entertaining areas.




1500mm (60") to 1570mm (62")

Ideal for pushing more air over open space, bigger living areas, and large covered outdoor alfresco areas.

Ceiling Height

Ventair fans are designed to suit ceiling heights of 2.45m – 3.05m. (ie. blade clearance of 2.1m – 2.7m from floor).

A range of extension rods are available for ceiling heights above 3.05m.



Usage Tips

1. Use the Reversible mode to aid heat circulation in colder months.
2. DC fans have low motor noise which makes them an ideal choice for bedrooms.
3. Running a ceiling fan on low speed generates gentle circulation to keep air feeling fresher.





Skyfan^{DC}

The future in fans

A beautifully crafted range of fans uses quiet DC motor technology and aerodynamic blade design to create exceptional levels of both energy efficiency, and performance.



Available Sizes 900mm 1200mm 1300mm 1500mm



Intelligent energy saving
DC technology



Up to 75% less power
consumption



High airflow capacity



Extremely quiet
- ideal for bedrooms



In-built anti-vibration system



Glass fibre composite blades
for added strength and durability



Quick click blade assembly



Indoor and covered outdoor



6 speed LCD multifunction
remote included



Eco, Sleep and Timer functions



Summer / winter reversible



Android and IOS app control
option functions compatible
with Google Home and Alexa
(sold separately)

WITH LED MODELS



Slimline 5-step dimmable
20W LED (1800 lumen)



Tri colour changeable
(warm, natural and cool light)

Ceiling Sweep Fans



Skyfan DC ceiling fans use energy efficient DC technology to reduce power consumption by 75% compared to AC models. Lightweight glass fibre composite blades add strength and durability, as well as an inbuilt anti-vibration system. Reversible function is available on the 6-speed LCD remote controller with ECO, sleep and timer functions. Suitable for indoor and covered outdoor areas. 5 year warranty.

Skyfan DC 3 BLADE	Sweep Dia. (mm)	Fan Speed (RPM) 1, 2, 3, 4, 5, *ECO	Max Air Delivery (m³/min)	Wattage (W)	Colour	Order Code
	900	100/150/190/220/270/*120	208	3-32	White	SKY903WH
					Black	SKY903BL
	1200	95/140/170/200/230/*115	232	3.6-31	White	SKY1203WH
					Black	SKY1203BL
	1300	90/132/166/190/210/*110	244	3.9-32	White	SKY1303WH
					Black	SKY1303BL
	1500	73/104/127/150/175/*88	322	3.9-43	White	SKY1503WH
					Black	SKY1503BL
Skyfan DC 3 BLADE - Class II					Teak	SKY1503TK
	1300	90/132/166/190/210/*110	244	3.9-32	White	SKY1303WHC2


Ceiling Sweep Fans	Skyfan DC 3 BLADE with LED	Sweep Dia. (mm)	LED (W)	Output (lm)	Fan Speed (RPM) 1, 2, 3, 4, 5, *ECO	Max Air Delivery (m³/min)	Wattage (W)	Colour	Order Code
		900	20	1800	100/150/190/220/270/*120	208	3-32	White	SKY903WH-L
								Black	SKY903BL-L
		1200			95/140/170/200/230/*115	232	3.6-31	White	SKY1203WH-L
								Black	SKY1203BL-L
		1300			90/132/166/190/210/*110	244	3.9-32	White	SKY1303WH-L
								Black	SKY1303BL-L
					73/104/127/150/175/*88	322	3.9-43	Teak	SKY1303TK-L
		1500						White	SKY1503WH-L
								Black	SKY1503BL-L
								Teak	SKY1503TK-L

Skyfan DC 3 BLADE ACCESSORIES	Description	Order Code
	Classic 3 Speed Wall Control with Light*	DCFAN3SPWCL
	Classic 3 Speed Wall Control without Light*	DCFAN3SPWC
	LCD Wall Control	SKYWCM
	LCD Wall Control without Light	SKYWCM-2
	App Control	SKYAPPCM
	600/900/1200mm Extension Rods	White SKYEXTR60/90/120WH
		Black SKYEXTR60/90/120BL

*When using the Classic 3 Speed Controller the remote control will not work.

Dimensions (mm)

Model	A	B
SKY903	360	900
SKY1203	360	1200
SKY1303	360	1300
SKY1503	360	1500



SPYDA ceiling fans are a revolutionary design incorporating aerodynamic blades with true spin technology to produce increased air circulation with low power consumption. Blades are constructed of a precision moulded UV protected composite and highest quality Japanese silicon nitride bearings which creates a smooth running long life fan that is guaranteed to give years of trouble free operation. Ceiling fans are 220-240V AC, 50Hz operated and come complete with ECO airflow function and 3-speed fan controller. LED lights are 4 step dimmable with three selectable colours. 6 year warranty.


SPYDA 4 BLADE	Sweep Dia. (mm)	Fan Speed	Fan Rotation (RPM)	Air Delivery (m³/min)	Wattage (W)	Colour	Order Code	
	1250	Economy	107	101	14	Titanium	SPY1254TI	
		Medium	170	167	34			
		High	230	210	55			
		3 Speed Remote Controller						SPYRFR5056
	1400	Economy	100	105	13	Titanium	SPY1424TI	
		Medium	140	174	22	Black	SPY1424BL	
		High	220	222	68	Teak	SPY1424TK	
3 Speed Remote Controller						SPYRFR5056		

SPYDA 4 BLADE with LED	Sweep Dia. (mm)	LED (W)	Output (lm)	Fan Speed	Fan Rotation (RPM)	Air Delivery (m³/min)	Wattage (W)	Colour	Order Code			
	1250	20	2050	Economy	107	101	14	Titanium	SPY1254TI-L			
				Medium	170	167	34	Black	SPY1254BL-L			
				High	230	210	55					
	3 Speed Remote Controller									SPYRFR5056		
	1400	20	2050	Economy	100	105	13	Titanium	SPY1424TI-L			
				Medium	140	174	22	Black	SPY1424BL-L			
				High	220	222	68	Teak	SPY1424TK-L			
				3 Speed Remote Controller							Walnut	SPY1424WN-L
				3 Speed Remote Controller								

SPYDA 4 BLADE ACCESSORIES	Description	Order Code		
		Satin White	Titanium	Matte Black
	Extension Rods 450mm	SPYEXTR45WH	SPYEXTR45TI	SPYEXTR45BL
	Extension Rods 600mm	SPYEXTR60WH	SPYEXTR60TI	SPYEXTR60BL
	Extension Rods 900mm	SPYEXTR90WH	SPYEXTR90TI	SPYEXTR90BL
	Extension Rod Joiner Kits	SPJKWH	SPJKTI	SPJKBL
	J-Hook Hanging Packs	SPYJHWH	SPYJHTI	SPYJHBL

Dimensions (mm)

Model	A	B
SPY1254	330	1250
SPY1424	330	1400



Ceiling Sweep Fans



SPYDA ceiling fans are a revolutionary design incorporating aerodynamic blades with true spin technology to produce increased air circulation with low power consumption. Blades are constructed of a precision moulded UV protected composite and highest quality Japanese silicon nitride bearings which creates a smooth running long life fan that is guaranteed to give years of trouble free operation. Ceiling fans are 220-240V AC, 50Hz operated and come complete with ECO airflow function and 3-speed fan controller. 6 year warranty.


SPYDA 3 BLADE	Sweep Dia. (mm)	Fan Speed	Fan Rotation (RPM)	Air Delivery (m³/min)	Wattage (W)	Colour	Order Code
	900	Economy	150	54	16	White	SPY903NWH
		Medium	210	75	24	Black	SPY903NBL
		High	280	95	60		
		3 Speed Remote Controller					
	1250	Economy	107	101	14	White	SPY1253NWH
						Titanium	SPY1253NTI
						Black	SPY1253NBL
						Bamboo	SPY1253NBAM
		Teak	SPY1253NTK				
		Walnut	SPY1253NWN				
		3 Speed Remote Controller					
	1400	Economy	100	115	13	Black	SPY1423NBL
						Bamboo	SPY1423NBAM
						Teak	SPY1423NTK
						Walnut	SPY1423NWN
		3 Speed Remote Controller					
	1570	Economy	90	112	27	White	SPY1573NWH
						Titanium	SPY1573NTI
						Black	SPY1573NBL
						Bamboo	SPY1573NBAM
		Teak	SPY1573NTK				
		3 Speed Remote Controller					

*Please refer to Simx website - www.simx.co.nz for remote compatibility

SPYDA 3 BLADE ACCESSORIES	Description	Order Code		
		Satin White	Titanium	Matte Black
	450mm	SPYEXTR45WH	SPYEXTR45TI	SPYEXTR45BL
	600mm	SPYEXTR60WH	SPYEXTR60TI	SPYEXTR60BL
	900mm	SPYEXTR90WH	SPYEXTR90TI	SPYEXTR90BL
	Extension Rod Joiner Kits	SPJKWH	SPJKTI	SPJKBL
	J-Hook Hanging Packs	SPYJHWH	SPYJHTI	SPYJHBL

Dimensions (mm)

Model	A	B
SPY903N	330	900
SPY1253N	330	1250
SPY1423N	330	1400
SPY1573N	330	1570



SPYDA ceiling fans are a revolutionary design incorporating aerodynamic blades with true spin technology to produce increased air circulation with low power consumption. Blades are constructed of a precision moulded UV protected composite and highest quality Japanese silicon nitride bearings which creates a smooth running long life fan that is guaranteed to give years of trouble free operation. Ceiling fans are 220-240V AC, 50Hz operated and come complete with ECO airflow function and 3-speed fan controller. LED lights are 4 step dimmable with three selectable white colours. 6 year warranty.


SPYDA 3 BLADE with LED	Sweep Dia. (mm)	LED (W)	Output (lm)	Fan Speed	Fan Rotation (RPM)	Air Delivery (m³/min)	Wattage (W)	Colour	Order Code					
	900	3 Speed Remote Controller							SSRFR36*					
	1250	20	2050	Economy Medium High	107 170 230	101 167 210	14 34 55	Titanium	SPY1253TI-L					
								Black	SPY1253BL-L					
								Bamboo	SPY1253BAM-L					
								Teak	SPY1253TK-L					
								Walnut	SPY1253WN-L					
	3 Speed Remote Controller							SPYRFR5056						
	1400	20	2050	Economy Medium High	100 140 220	115 174 222	13 22 68	Titanium	SPY1423TI-L					
								Black	SPY1423BL-L					
								Bamboo	SPY1423BAM-L					
Teak								SPY1423TK-L						
3 Speed Remote Controller								SPYRFR5056						
1570	20	2050	Economy Medium High	90 150 200	112 176 255	27 62 100	White	SPY1573WH-L						
							Black	SPY1573BL-L						
							Bamboo	SPY1573BAM-L						
							3 Speed Remote Controller							SPYRFR62

*Please refer to Simx website - www.simx.co.nz for remote compatibility

SPYDA 3 BLADE ACCESSORIES	Description	Order Code		
		Satin White	Titanium	Matte Black
	450mm	SPYEXTR45WH	SPYEXTR45TI	SPYEXTR45BL
	600mm	SPYEXTR60WH	SPYEXTR60TI	SPYEXTR60BL
	900mm	SPYEXTR90WH	SPYEXTR90TI	SPYEXTR90BL
Extension Rod Joiner Kits		SPJKWH	SPJKTI	SPJKBL
J-Hook Hanging Packs		SPYJHWH	SPYJHTI	SPYJHBL

Dimensions (mm)

Model	A	B
SPY1253	391	1250
SPY1423	393	1400
SPY1573	406	1570



Ceiling Sweep Fans



SPINIKA ceiling fans are a revolutionary design incorporating aerodynamic blades with true spin technology to produce increased air circulation with low power consumption. Blades are constructed of a glass fibre composite and highest quality Japanese silicon nitride bearings which creates a smooth running long life fan that is guaranteed to give years of trouble free operation. Ceiling fans are 220-240V AC, 50Hz operated and come complete with ECO airflow function and 3-speed fan controller. LED lights are 4 step dimmable with three selectable white colours. 6 year warranty.


SPINIKA 4 BLADE	Sweep Dia. (mm)	Fan Speed	Fan Rotation (RPM)	Air Delivery (m³/min)	Wattage (W)	Colour	Order Code
	1220	Economy	100	84	20	White	SPIN1204WH
		Medium	160	133	23	Titanium	SPN1204TI
		High	220	208	60		
		3 Speed Remote Controller					
	1300	Economy	100	108	20	White	SPIN1304WH
		Medium	160	174	38	Titanium	SPN1304TI
		High	220	250	65		
		3 Speed Remote Controller					

SPINIKA 4 BLADE with LED	Sweep Dia. (mm)	LED (W)	Output (lm)	Fan Speed	Fan Rotation (RPM)	Air Delivery (m³/min)	Wattage (W)	Colour	Order Code
	1220	20	2050	Economy	100	101	20	White	SPIN1204WH-L
				Medium	160	167	23	Titanium	SPIN1204TI-L
				High	220	210	60	Black	SPN1204BL-L
				3 Speed Remote Controller					SPNRFR
	1300	20	2050	Economy	100	105	20	Titanium	SPN1304TI-L
				Medium	160	174	38	Black	SPN1304BL-L
				High	220	222	65		
				3 Speed Remote Controller					SPNRFR

SPINIKA 4 BLADE ACCESSORIES	Description	Order Code		
		Satin White	Titanium	Matte Black
	Extension Rods 600mm	SPNEXTR60WH	-	SPNEXTR60BL
	Extension Rods 900mm	SPNEXTR90WH	-	SPNEXTR90BL
	Extension Rod Joiner Kits	SPJKWH	SPJKTI	SPJKBL
	J-Hook Hanging Packs	SPYJHWH	SPYJHTI	SPYJHBL

Dimensions (mm)

Model	A	B
SPN1204	360	1220
SPN1204-L	392	1220
SPN1304	360	1300
SPN1304-L	392	1300



STANZA ceiling fans features True-spin Technology™ and is the latest development in ceiling fan motor engineering. The precision moulded glass fibre composite blades for increased stability and higher airflow, are individually balance tested and quality checked for trouble free operation. A pre-selected speed ECO switch setting allows the fan to run at a reduced running cost whilst maintaining adequate air circulation, which is also suitable for gentle heat circulation in winter. Available with or without B22 light fitting. Ceiling fans are 220-240V AC, 50Hz operated and come complete with ECO airflow function. Suitable for indoor and covered outdoor areas. 4 year warranty.


STANZA 3 BLADE	Sweep Dia. (mm)	Fan Speed	Fan Rotation (RPM)	Max Air Delivery (m³/min)	Wattage (W)	Colour	Order Code
	1220	Economy	105	108	17	White	STA1203WH
		Medium	150	154	35		
		High	190	195	55		
		3 Speed Remote Controller					STARFR48

STANZA 3 BLADE with LIGHT	Sweep Dia. (mm)	Light Type	Light Wattage (W)	Fan Rotation (RPM)	Max Air Delivery (m³/min)	Wattage (W)	Colour	Order Code
	1220	B22 Lamp Holder	2 x 15W	105	108	17	White	STA1203WH-L
				150	154	35		
				190	195	55		
				3 Speed Remote Controller				

STANZA 3 BLADE ACCESSORIES	Description	Order Code		
		Satin White	Titanium	Matte Black
	600mm	SPNEXTR60WH	SPNEXTR60TI	SPNEXTR60BL
	900mm	SPNEXTR90WH	SPNEXTR90TI	SPNEXTR90BL
	Extension Rod Joiner Kits	SPJKWH	SPJKTI	SPJKBL
	J-Hook Hanging Packs	SPYJHWH	SPYJHTI	SPYJHBL

Dimensions (mm)

Model	A	B
STA1203	349	1220
STA1203-L	399	1220



Ceiling Sweep Fans



SEATTLE DC ceiling fans are the latest in energy saving DC technology using up to 50-75% less power than comparable AC operated fans with similar performance levels. All fans incorporate precision moulded ABS blades which are pre-balanced for smoother, quieter performance. Reversible function is available on the 5-speed remote controller with timer included. Fans are 220-240V AC, 50Hz operated and come complete with ECO airflow function. Suitable for indoor and covered outdoor areas. 6 year warranty.


SEATTLE DC 3 BLADE	Sweep Dia. (mm)	Fan Speed	Fan Rotation (RPM)	Wattage (W)	Colour	Order Code
	1400	1	86	5-38	Light Oak	SEA1403LO-DC
		2	120			
		3	161			
		4	186			
		5	206			

ACCESSORIES	Description	Fan	Colour	Order Code
	Extension Rods - 900mm	Seattle DC	Black	SEAWASXR90-BL



Dimensions (mm)

Model	A	B
ROY1304-DC	335	1320
ROY1304L-DC	373	1320
SEA1403	385	1400



MALIBU IP55 ceiling fan is designed specifically for outdoor and coastal applications. Incorporating four durable moulded ABS blades and a premium long life motor. This fan is engineered for large area air circulation, providing up to 50% more air circulation than timber blade fans.

NATIONAL ceiling fan is designed specifically for covered outdoor and coastal area applications. Incorporating four 316 stainless steel marine grade blades and a premium long life ball bearing motor, this fan provides excellent air circulation and cooling.

Fans are 220-240V AC, 50Hz operated. 6 year warranty.


MALIBU IP55 4 BLADE	Sweep Dia. (mm)	Fan Speed	Fan Rotation (RPM)	Wattage (W)	Colour	Order Code
	1320	1	104	100	Titanium	MAL1404TI
		2	161			
		3	255			
		3 Speed Remote Controller with 1-9 hr Timer Function				

NATIONAL 4 BLADE	Sweep Dia. (mm)	Fan Speed	Fan Rotation (RPM)	Wattage (W)	Colour	Order Code
	1320	1	80	75	Stainless Steel	Z524EXTSS
		2	130			
		3	230			
		3 Speed Remote Controller				

ACCESSORIES	Description	Fan	Colour	Order Code
	Extension Rods - 900mm	Malibu IP55	Titanium	HRMXR90-TI
		National	Stainless Steel	VEXRS316900

Dimensions (mm)

Model	A	B
MAR1305	308	1320
MAR1305-L	375	1320
MAL1404	355	1320
Z524	340	1320



ZEPHYR II is a wall mounted 3 speed cooling fan with an oscillating and tilt adjustable head to help cool the whole room. Remote operated models have wind, breeze and sleep modes as well as a 0.5hr - 7.5hr timer. 1 year warranty.

ZEPHYR II WALL MOUNT FAN	Fan Size (mm)	Grille Size (mm)	Wattage (W)	Fan Mode	Fan Rotation (RPM)	Colour	Switching	Order Code
	400	450	65	Sleep Breeze Wind	950 1150 1300	White	Pull Cord	ZEP40PC
							Remote	ZEP40R

Wall Cooling Fans are heavy duty fans with oscillating and tilt adjustable heads. New anti-vibration patented blade design ensures that high airflows are delivered at a very low noise level. Pedestal fans also feature an adjustable head height. 2 year warranty.

WALL COOLING FAN	Fan Size (mm)	Grille Size (mm)	Wattage (W)	Fan Mode	Fan Rotation (RPM)	Colour	Switching	Order Code
	450	515	160	1 2 3	1100 1300 1400	Black	Pull Cord	WAL45-DC
	750	815	130	1 2 3 4 5 6	600 700 800 900 1000 1035	Black	Six Speed Remote Control	WAL75-DC

