



MANROSE®

Product Catalogue

**HEATING
PRODUCTS**




Table of Contents

Instant Radiant Heaters	217
Towel Heater	220
Heater-Fan-Light Systems	221
Heat-Fan-Light Systems	222
Heat-Light Systems	222

TERRAZZA

INSTANT RADIANT HEATER




Projected
BATHROOM HEAT

Instant Radiant Heat

- Suited to bathroom installations
- Instant projected heat
- 5m² heating area


Instant Radiant Heaters

Enjoy instant summer warmth in your bathroom with the Manrose Terrazza 1000W radiant heater. A heating area of 5m² is delivered by low glare amber halogen lamp and reflector technology.

TERRAZZA - Bathrooms	Heater Wattage (W)	Lamp	Colour	Order Code
	1000	Halogen	Black	FAN7046

Dimensions (mm)

Model	A	B	C	
			(no bracket)	(with bracket)
TERRAZZA	190	460	113	220



Technical

Model	TERRAZZA
Supply	220-240V AC, 50Hz
Grille	Stainless Steel 304
Housing	Powder coated black aluminium
IP Rating	IP65
Weight	2.6kg
Warranty	2 years

TERRAZZA

INSTANT RADIANT HEATER




Keeping the
OUTDOORS
Alive

Instant Radiant Heat

- Long range 2000W heat projection
- IP65 outdoor application
- Commercial indoor applications


Instant Radiant Heaters

Enjoy entertaining outdoors with the great new Manrose Terrazza 2000W instant radiant heater. Powerful long range heat projection is delivered by new low glare amber halogen lamp and reflector technology. Great for home, public outdoor hospitality areas like cafes, restaurants and bars as well as commercial indoor applications.

TERRAZZA - Outdoors	Heater Wattage (W)	Lamp	Colour	Order Code
	2000	Halogen	Black	FAN7047

Dimensions (mm)

Model	A	B	C	
			(no bracket)	(with bracket)
TERRAZZA	190	460	113	220




Technical

Model	TERRAZZA
Supply	220-240V AC, 50Hz
Grille	Stainless Steel 304
Housing	Powder coated black aluminium
IP Rating	IP65
Weight	2.6kg
Warranty	2 years

Towel Heaters - High Output

High output 250W bathroom heating in steel construction with high quality chrome or white finish models. Quality production technology resulting in absolute consistency of heat distribution. Can be mounted with cable entry on the left or right and power supply lead included. Complete fitting set supplied. 5 year warranty.

TOWEL HEATER	Wattage (W)	Colour	Order Code
	250	White	FAN6937
		Chrome	FAN6938




HEATED ELEGANCE

TOWEL HEATERS
HIGH OUTPUT




FAN6937



FAN6938

Elegant Heat

- Stylish with high quality chrome or white finish on steel
- High output 250W heating



Heater-Fan-Light Systems

Heater-Fan-Light Systems*								
Designer Low Profile	Duct (mm)	Fan Type	Total Watts (W)	Free Air Fan Performance		Heating	Fascia	Order Code
				(l/s)	(m³/hr)			
	150	2 x Centrifugal	2115	106	380	2 Level PTC 1100W/2000W	White	FAN7020
							Black	FAN7021
	150	Centrifugal	1100	69	248	1 x 1000W Halogen	White	FAN6577
	150	Centrifugal	1080	99	356	1 x 1000W Halogen	White	FAN5876

Note: Installed system performance is always influenced by duct length and layout.
 * See page 72 for dimensions and technical information.




Heat-Fan-Light and Heat-Light Systems

Heat-Fan-Light Systems*

Designer SATIN Low Profile	Duct (mm)	Fan Type	Total Watts (W)	Free Air Fan Performance		Heat Lamps	Fascia	Order Code
				(l/s)	(m³/hr)			
	125	Centrifugal	1138	84	303	4 x 275W	White	FAN6882
							Silver	FAN6883
	125	Centrifugal	588	75	270	2 x 275W	White	FAN6880
							Silver	FAN6881
Pro-Series Low Profile	Duct (mm)	Fan Type	Total Watts (W)	Free Air Fan Performance		Heat Lamps	Fascia	Order Code
				(l/s)	(m³/hr)			
	125	Centrifugal	1180	60	216	4 x 275W	White	FAN0995
	125	Centrifugal	635	50	180	2 x 275W	White	FAN0940
Classic Standard Profile	Duct (mm)	Fan Type	Total Watts (W)	Free Air Fan Performance		Heat Lamps	Fascia	Order Code
				(l/s)	(m³/hr)			
	100	Centrifugal	670	35	126	2 x 275W	White	FAN2162

Heat-Light Systems*

Classic Standard Profile	Duct (mm)	Total Watts (W)	Heat Lamps	Fascia	Order Code
	100	650	2 x 275W	White	FAN2200

Note: Installed system performance is always influenced by duct length and layout

* Heat and light unit only - ready for the addition of an inline fan system (order separately).
See page 74 for dimensions and technical information

